DEVALE



www.DEWALT.com.au

GUARANTEED TOUGH:

BUY MORE GET MORE

FREE VIA REDEMPTION

2 X 5AH XR BATTERIES

2 X DCB184-XE



WHEN YOU SPEND \$2499 OR MORE

3 X 5AH XR BATTERIES

3 X DCB184-XE



WHEN YOU SPEND \$2999 OR MORE

4 X 5AH XR BATTERIES 1 X 6AH XR EV RATTERY

4 X DCB184-XE + 1 X DCB546-XE





WHEN YOU SPEND \$3499 OR MORE

GUARANTEEDTOUGH.COM.AU

TO REDEEM TODAY

Offer valid for products purchased from 01/04/2020 to 30/06/2020, and can be redeemed online until 14/07/2020. Redemption item only available in same transaction. Limited to 1 Spend Level redemption per Transaction. Based on purchases of either DEWALT Cordless or DEWALT Corded Power Tools, Power Tool Accessories & Storage purchases. Excludes Pressure Washer and Generator purchases. Not available in conjunction with any other offer. Visit www.GUARANTEEDTOUGH.com.au for full Terms & Conditions

FREE DEMPTION

REME® 3 PIECE TRI-FLUTE SPADE BIT SET

DT90237-QZ



NHEN YO RCH ASE

ANY 2 SELECTED POWER TOOL ACCESSORY SETS

PILOT POINT® 21 PIECE TITANIUM DRILL BIT SET WITH TOUGH CASE® DW1361



EXTREME® 2X LIFE CIRCULAR SAW BLADE 184MM X 24/40T (16/20MM) 2 PACK DT90260-QZ



DEWALT 14 PIECE COBALT PILOT POINT DRILL BIT SET WITH TOUGH CASE®



DW1263 G

VISIT GUARANTEEDTOUGH.COM.AU TO REDEEM TODAY



18V XR BRUSHLESS FRAMING NAILER KIT DCN692P1-XE

The NEW Type 3 18V XR Cordless Framing Nailer features a completely redesigned motor, delivering 20% more internal energy than the previous model*. Featuring two speed settings, large capacity magazine, adjustable depth setting and dry fire lock out for safety. The DCN692 Type 3 is a high-performance framing nailer delivering outstanding speed, performance, durability and runtime needed for intensive professional applications.

HEAVY DUTY SWITCHES Bump or sequential mode as well as speed switch are easily accessible



FAST PROBLEM SOLVING Tool-free stall release minimises downtime



RAFTER HOOK Increased portability and versatility on site

Kit Includes:

- DCN692 Framing Nailer (Type 3)
- 1 x 5Ah 18V XR Battery
- Multi Voltage Charger

30 DAY

NO RISK SATISFACTION GUARANTEE

We are so confident with the Type 3 Framing Nailer that if not completely satisfied with the performance of the DEWALT product, it can be returned to the point of purchase within 30 days for a full refund or exchange. Proof of purchase required.

20%MORE POWER**

2/SEC

1000 MORE RPM*** 90 mm

*Value calculated by individual component RRP's

^{**}Than previous model type
***Increases from 11,000 RPM to 12,000 RPM



18V XR BRUSHLESS DRYWALL SANDER

- BARE UNIT

DCE800

18V Brushless Motor for extended durability, efficiency and power. 225mm High Dust Efficiency Backing Pad Combined with Mesh Paper removes more drywall dust and debris than traditional paper and backing pad. Telescopic Handle Allows user to quickly and easily make changes in length to the unit. Variable Speed units provide user with complete flexibility in all applications. Lock On Switch Allows user complete flexibility and reduced fatigue in hard to reach areas without having to keep switch depressed. Kit Includes DCB118 fast battery charger, 2 x DCB546 54V 6.0Ah batteries & Sports Bag.





18V XR COMPACT TASK LIGHT – BARE UNIT DCL077-XJ

DCL077-XJ	
Brightness (Lumens)	2000
Technology	LED
Runtime(5ah battery)	Up to 20Hrs
Light Settings	3
Colour Temperature	3500-4000K
IP Rating	IP54





DGS727N-XE

The DCS727 offers the ultimate combination of accuracy, power, capacity and cordless freedom. Engineered for repeatable accuracy with dual horizontal rails and a stainless steel detent plate with common angles at 0, 15, 22.5, 31.6, 35.3 and 45 degrees, the 54V brushless motor also offers a maximum cutting capacity of 305 x 77mm

DCS727N-XE

Blade Diameter	254mm		
Bore Size	25.4mm		
Max. Cutting Capacity	305 x 77mm		
Mitre Capacity (Left/Right)	50°/60°		
Bevel Capacity (Left/Right)	48°/48°		
No Load Speed	4300rpm		
Weight inc. Battery	20.5Kg		

54V XR FLEXVOLT 6KG SDS-MAX ROTARY HAMMER - BARE UNIT DCH614N-XJ

The DCH614 next generation hammer delivers 10.5 Joules of impact energy with a drilling capability of 45mm in solid concrete, making it perfect for professionals who regularly drill anchor and fixing holes

into masonry, concrete and brickwork. It also has the capacity to accommodate core bits up to 125mm diameter, with excellent removal rates.

DCH614N-XJ	
Туре	SDS Max
Battery platform	54V XR FLEXVOLT
Impact energy	10.5J
No load speed	190-380 RPM
Blows per minute	1,450-2,900 BPM
Max drilling capacity in concrete	45mm diameter Cores - 125mm Optimum drilling range 16-32mm







NEW

NEW

18V / 54V 5 PIECE KIT 6AH





596T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- 2 x DEEP TSTAK VI

FLEX

- DCS575 54V XR 184mm Circ Saw
- DCG414 54V XR 125mm Angle Grinder
- DCS388 54V XR Reciprocating Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

KIT INCLUDES











XRP 3	S SF	PEE	D
HAMM	ER	DRI	LL

3 SPEED IMPACT DRIVER

54V XR 184MM CIRC SAW

54V XR 125MM ANGLE GRINDER

54V XR RECIPROCATING SAW

MO	DEL	

	4	Z	<
DC	D	9	G

















FEATURE

575

414

388

3 Speed Mechanical Gearing

High powered brushless motor

Dust blower

Electronic Brake

54V Brushless Motor

ADVANTAGE

0-450/1,300/2,000 RPM

Delivers 205Nm of torque

Clear line of sight

Safety and tool protection

Improved performance in demanding applications

BENEFIT

Increased runtime and longer tool life

Ensures heavy applications are completed quickly Optimal precision

Stops the wheel quickly when the trigger is disengaged

Maximum power

LED light

Precision Drive

54V Brushless Motor

Mesh covers

Variable speed

ADVANTAGE

3 Position LED torch

3 motor speeds and torque settings

High torque

Increases tool life

Intelligent variable speed

BENEFIT

High/Medium/Low settings with High output

Application control

Durability and power for cutting job site and joinery materials

Mesh cover over air intake vents restricts dust being sucked through the motor

Maximum precision and control

Electronic clutch

0.94kg

Quick change depth/ bevel adjustments

Electronic Clutch

Two position blade clamp

ADVANTAGE

11 position adjustable torque control

Super lightweight & compact

Variable adjustment of the bevel angle to 57 degrees

Safety and tool protection

Flush cutting

Optimised precision when screw driving

Comfortable to use & fits in small places

Optimum balance for safe, fatigue free operation

Reduces the kickback in the event of a pinch or stall

Increased versatility

FREE VIA REDEMPTION

3 X DCB184-XE



WHEN YOU PURCHASE

DCZ596T2T-XE



18V XR & 18V / 54V XR BRUSHLESS KITS





\$1399



18V XR BRUSHLESS 5 PIECE KIT 5AH DCK560P2-XE

- DCD796 2 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCG405 125mm Angle Grinder Slide Switch
- DCS367 Compact Reciprocating Saw
- DCS570 184mm Circular Saw

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- **Contractor Bag**

18V XR BRUSHLESS 5 PIECE KIT 5AH

DCK578P2-XE

- DCD796 2 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCS570 184mm Circular Saw
- DCP580 Planer
- DCS367 Compact Reciprocating Saw

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- Contractor Bag

18V XR BRUSHLESS 4 PIECE KIT 5AH

DCK496P2-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF894 1/2" Compact Mid Torque Wrench
- DCF887 3 Speed Impact Driver
- DCG406 125mm Grinder Paddle Switch

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- Contractor Bag
- 1/2" Square to 1/4" Hex Adaptor





18V XR BL 3PC KIT 5AH

- DCD796 2 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCS570 184mm Circular Saw

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- Contractor Bag



18V XR BL 2PC KIT 5AH DCK2094P2-XE

- DCD996 3 Speed Hammer Drill/Driver
- DCF894 1/2" Compact Mid Torque Wrench

- 2 x 5Ah 18V XR Batteries
- Multi Voltage Charger
- 1/2" Square to 1/4" Hex Adaptor



18V XR BL 3PC KIT 5AH **DCK321P2-XE**

- DCD796 2 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCG405 125mm Grinder Slide Switch

- 2 x 5Ah 18V XR Batteries
- Multi Voltage Charger
- Small Site Bag

FREE VIA REDEMPTION



WHEN YOU PURCHASE

SELECTED 18V/54V XR COMBO KITS

DCK320P2-XE, DCK2094P2-XE, DCK321P2-XE



18V XRP BL 2PC KIT 5AH DCK296P2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver

it Includes

- 2 x 5Ah 18V XR Batteries
- XR FAST Charger
- DEEP TSTAK II



18V XRP 2 PIECE KIT 6AH DCK296T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- DEEP TSTAK VI

54V XR FLEXV

• 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

FREE VIA REDEMPTION

18V XR 5AH BATTERY PACK OR 18V XR FAN

DCB184-XE OR DCE511-XE



OR



WHEN YOU PURCHASE

A SELECTED 18V XR BRUSHLESS KI DCK296T2T-XE, DCK296P2T-X



18V / 54V 3 PIECE KIT 9AH DC2333X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DEEP TSTAK VI & TSTAK II
- XR FAST Charger

54V XR FLEXVOL

- DCH333 54V XR 3kg SDS-PLUS Rotary Hammer
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries



18V / 54V 4 PIECE KIT 9AH 0CZ441X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCF899 18V XR Brushless 3 speed Wrench
- XR FAST Charger
- 2 x DEEP TSTAK VI 54V XR FLEXVOLT
- DCG414 54V XR 125mm Angle Grinder
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries



18V / 54V 3PC KIT 6AH DCZ341T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- 2 x TSTAK II

54V XR FLEXVOL

- DCG414 54V XR 125mm Angle Grinder
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries



18V / 54V 3PC KIT 6AH DCZ357T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- DEEP TSTAK VI & TSTAK II

54V XR FLEXVOL

- DCS575 54V XR 184mm Circ Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

FREE VIA REDEMPTION

18V XR 5AH BATTERY



WHEN YOU PURCHASE

A SELECTED 18V XR BRUSHLESS KIT

DCZ333X2T-XE, DCZ441X2T-XE, DCZ357T2T-XE, DCZ341T2T-XE



THE MOST FLEXIBLE CORDLESS







DCF620KN-XE









DCF894N-XJ





























DCG405N-XJ

DCG405FN-XJ

DCG406N-XJ

DCM848N-XJ

DCS491N-XJ

DCS350N-XJ

DCE560N-XJ
















DCS334N-XJ



DCS570N-XE





DCL074-XJ













DCW604N-XJ

DCN692N-XE

DCN650N-XJ

DCN680N-XJ

DCN660N-XE

DCN681N-XJ

DCN701N-XJ

PLATFORM IN THE WORLD





FREE VIA REDEMPTION


DEWALT HOODIE



WHEN YOU PURCHASE

A SELECTED DEWALT 18V XR OR 54V XR FLEXVOLT POWER TOOL BARE UNIT*

*Selected 18V XR or 18V XR FLEXVOLT power tools eligible for redemption are featured on these pages 8 &~9









54V XR FLEXVOLT M-CLASS DUST EXTRACTOR DCV586M

Powered by 54V XR FLEXVOLT technology the DCV586M is the ultimate dust extraction solution for a new generation of cordless tools and the key to unlocking the cordless jobsite.

The DEWALT BRUSHLESS motor and high capacity XR FLEXVOLT battery coupled with dual M-Class certified filters with automatic cleaning delivers powerful, constant performance and runtime for the most demanding applications.



Other features include a remote for wireless operation, a recessed battery housing to protect from jobsite conditions and TSTAK compatibility.













1400W 38L M-CLASS DUST EXTRACTOR DWV902M-XE

DUST MANAGEMENT

Advanced Dust Extraction Solutions.

risks of dust inhalation are considerably reduced, to work in a cleaner and more secure environment.







DWV902M

Power Input

Max Airflow

Power Take Off Rating

Capacity

Wet/Dry

DWV902M-XE \$899

1400W

38L

Yes

1000W

31.11/sec

M	\[i]	M

FREE VIA REDEMPTION



WHEN YOU PURCHASE

EXTREME°

HOLLOW DRILL BITS

2-CUTTER / Y-CUTTER CAFor precise positioning of SDS-plus° or SDS-max° drill bit diameters, delivering accurate starting and durability.

and § fitments available, matched to common rebar and anchor sizes.

Connects directly to the DEWALT AIRLOCK™ System forming a secure connection between bit and dust extractor.

HOLLOW SHAFT

Vacuum assisted dust extraction means less dust, reduced resistance, faster drilling, and less hole cleaning.

SDS-plus® 2-Cutter



- Compatible with SDS-plus® fitment hammer drills
 2-CUTTER CARBIDE for exact positioning of SDS-plus® dril bit diameters, delivering accurate starting and durability. accurate starting and durability

SDS-max® Y-Cutter



- Compatible with SDS-max®
- fitment hammer drills Y-CUTTER CARBIDE for exact positioning of SDS-max® drill bit diameters, delivering accurate starting and durability

SINGLE PACK

Cat. No.	0	Working Length	Total Length	RRP
DT60340-QZ	12 mm	200 mm	320 mm	\$94.99
DT60341-QZ	14 mm	250 mm	370 mm	\$114.99
DT60342-QZ	16 mm	250 mm	370 mm	\$124.99
DT60343-QZ	18 mm	250 mm	370 mm	\$144.99

SINGLE PACK

Cat. No.	Ø	Working Length	Total Length	RRP
DT60230-QZ	16 mm	400 mm	600 mm	\$244.99
DT60231-QZ	18 mm	400 mm	600 mm	\$249.99
DT60232-QZ	20 mm	400 mm	600 mm	\$259.99
DT60233-QZ	24 mm	400 mm	600 mm	\$264.99
DT60234-QZ	28 mm	400 mm	600 mm	\$299.99
DT60235-QZ	32 mm	400 mm	600 mm	\$329.99

EXTREME DIAMOND GRINDING CUPS

Robust diamond segments: turbo cup for fastest results, double cup for quick surface grinding and single cup for general surface grinding.

Applications

 For smoothing of concrete and masonry.

For use with

 Corded and cordless angle grinders and angle grinder shrouds.

SINGLE PACK

Cat. No.	Diameter mm	Shank	Segment height mm	Cup	Pack Qty.	RRP
DT3796-QZ	125	M14	6	Double	1	\$97.49
DT3797-QZ	125	M14	6	Turbo	1	\$107.99
DT3795-QZ	125	M14	5	Single	1	\$75.49



DT3797-QZ **DIAMOND CUP TURBO 125MM**



APPLICATIONS

DT3796-QZ DIAMOND CUP DOUBLE ROW 125MM



APPLICATIONS

DT3795-QZ DIAMOND CUP SINGLE ROW 125MM



APPLICATIONS



18V XR COMPACT CHAINSAW DCM565



30cm Bar & Chain Ideal for smaller construction related tasks and logging. Compact – Ideal secondary tool.



Lightweight and Compact; ideal for one-handed cuts.



High Efficiency Brushless Motor (BL51).



Tool Free Chain Tensioning & Auto Oiling. Fast Chain Adjustments and reduced maintenance.

30cm BAR AND CHAIN **AUTO** OILING

LIGHTWEIGHT COMPACT

*Value calculated by individual component RRP's



18V XR HEDGE TRIMMER - BARE UNIT DCMHT563N-XE

With a blade length of 55cm and a 25mm cutting width, this rugged hedge trimmer can tackle the toughest of shrubbery, hedging and dense undergrowth, effortlessly slicing though larger branches and stems without experiencing jams.

Blade Length	55c
Blade Gap	25
Blade strokes (no lead)	1/100/m

DCMHT563N-XE







18V XR SPLIT SHAFT LINE TRIMMER - BARE UNIT **DCMST561N-XE**

Placing the operator fully in control, the DCMST561 has been equipped with a variable speed trigger that can be adjusted according to the job in hand, and a rugged over-moulded, adjustable handle, which also ensures comfortable operation and additional grip.

DCM91301M-VE	
Swath	36cm
Shaft	Split
Speeds	2
Variable Speed	Yes
Line	2.0mm

DCMCTE61 N_YE



OUTDOOR POWER EQUIPMENT





54V XR FLEXVOLT BRUSHLESS AXIAL BLOWER

- Air Speed: 200km/h
- Air Volume: 650CFM
- Control: Variable speed trigger
- Ease of Use: Lock-On Trigger at desired speed
- Axial Design provides optimized balance



54V XR FLEXVOLT BRUSHLESS SPLIT SHAFT LINE TRIMMER - BARE UNIT

- Power Output: 530W
- Runtime: 46min (DCB547-XE)*
- Cut Speed: 0-5600/6600RPM
- Cut Capacity: 38cm Swathe, 2.0mm line
- Control: Variable speed trigger
- Noise Power: 94dB(A)
- Vibration: 10.1m/s²



54V XR FLEXVOLI CHAINSAW

- Up to 130 cuts per charge (DCB547-XE)*
- 40cm bar & chain (3/8 low profile 90PX)
- 15m/s chain speed with variable speed trigger
- · High efficiency brushless motor
- Chain brake safety stops in under 1 second
- Tool free bar fitment, chain tensioning & auto oiling



18V XR BRUSHLESS SPLIT SHAFT LINE TRIMMER

- BARE UNIT

- Up to 54 mins runtime (DCB184-XE)*
- 33cm swathe with 2.0mm line
- Variable 2 speed control 0-4600/0-6000rpm
- High efficiency brushless motor
- Automatic bump feed
- Wrap around aux handle



18V XR BRUSHLESS CHAINSAW - BARE UNIT

- Power Output: 600W
- Runtime: 70cuts at 100x100mm (DCB184-XE)*
- Chain Speed: 8m/s
- Cut Capacity: 30cm, 3/8"
- Maintenance: Tool-free with auto oiling
- Noise Power: 96.5dB(A)
- Vibration: 3.5m/s²



18V XR BLOWER

- BARE UNIT

- Up to 20 mins runtime (DCB184-XE)*
- 400CFM air volume & and 145km/h
- Variable speed trigger with speed lock
- High efficiency brushless motor
- Free standing base
- Lightweight & compact 2.6kg

* RUNTIME (DCB184-XE) 5AH BATTERY (DCB547-XE) 6AH BATTERY





18V XR HEDGE TRIMMER - BARE UNIT

- Up to 70 mins runtime (DCB184-XE)*
- 55cm Dual action, hooked-tooth laser cut
- 1400spm Cutting strokes/min
- 19mm Cutting gap
- Safety lock
- Wrap around aux handle



18V XR BRUSHLESS POLE SAW - BARE UNIT

- Powerful 18V Brushless Motor
- 20cm Low Kick Back Bar and Chain
- Metal Bucking Strops and Tree Hook
- 1.5m reach extendable to 4.5m

FREE VIA REDEMPTION

WHEN YOU **PURCHASE**

ELECTED BARE UNIT FROM THE LANDSCAPING RANGE

2 X 18V XR BRUSHLESS MOWER DCMW564N-XE

DCMPS567N-XE

18V XR BRUSHLESS SPLIT SHAFT LINE TRIMMER

DCM561PBS-XE

18V XR HEDGE TRIMMER

DCM563PB-XE

DCM565N-XE

18V XR BRUSHLESS BLOWER

DCM562PB-XE

DCM5713N-XE

54V XR FLEXVOLT BRUSHLESS CHAINSAW

DCM575N-XE

DCMBA572N-XE



ABRASIVE CHOP SAW D28730-XE

- Cut-Off Machine 355mm (14") 2200W
- 4,000 RPM
- Quick Lock Vise
- Quick Fence

FREE VIA REDEMPTION

900W 125MM ANGLE GRINDER

DWE4151-XE



WHEN YOU PURCHASE

ABRASIVE CHOP SAW



125MM CORDED ANGLE GRINDER - 1400W DWE4235-XE

Angle Grinder 125mm (5") 1400W High Performance & Efficiency Motor

11,500 RPM, Power-Off®, and Power-Loss Reset®, No Volt Release, 'One Touch' Keyless Guard, Dust Ejection System for motor durability, Abrasion protected motor, Anti-Vibration Side Handle, Cut off Brushes, Anti-Lock Flange, Slide Switch



125MM CORDED ANGLE GRINDER - 1500W DWE4277-XE

Angle Grinder 125mm (5") 1500W (Rat Tail) High Performance & Efficiency Motor 10 500 RPM, Rat Tail Rear Handle Design

10,500 RPM, Rat Tail Rear Handle Design, Side Handle, 'Two Touch' Keyless Guard, Cut off Brushes, Anti-Lock Flange, Lock-Off Trigger Switch



125MM CORDED ANGLE GRINDER - 1200W DWE4213-XE

Angle Grinder 125mm (5") 1200W No-Lock On Paddle Switch Grinder

11,500 RPM, 2-Position Side Handle, Keyless 'One Touch' Guard, Dust Ejection System for motor durability, Abrasion protected motor, Anti-Lock Flange, Anti-Vibration Side Handle, Anti-Lock Flange, No Lock-On Paddle Switch

FREE VIA REDEMPTION



WHEN YOU PURCHASE

PERFORMANCE ANGLE GRINDER

DWE4213-XE, DWE4235-XE, DWE4277-XE



2000W LCD HEAT GUN

D26414K-XE

- Durable hot air gun for Professional applications
- 2000 Watt power with optimised cooling
- Compact and lightweight for easy handling and use

Power Input	2000W
Operating Temperature	50-600°C
Air Flow	650l/min
Weight	0.85kg

FREE VIA REDEMPTION

DEWALT CONTRACTOR BAG

N061264-LCL



WHEN YOU PURCHASE

2000W LCD HEAT GUN D26414K-XE



6.35MM (1/4") PREMIUM PLUNGE & FIXED BASE ROUTER 900W

D26204K-XE

Power Input	900W
Power Output	620W
No Load Speed	16000-27000RPM
Plunge Stroke/Movement	55MM
Collet Size	6.35MM
Max. Cutter Diameter	36MM
Weight	2.9KG





RECIPROCATING SAW 1100W

DWE305PK-XE

Power Input	1100W
Power Output	525W
No Load Stroke Rate	0-2800SPM
Stroke Length	29MM
Max. Cutting Capacity [Wood]	280MM
Max. Cutting Capacity [Steel Sections & Pipes]	100 MM
Max. Cutting Capacity [PVC]	130MM
Weight	2.9KG

FREE VIA REDEMPTION

DEWALT HOODII



WHEN YOU PURCHASE

A SELECTED CORDED POWER TOOL

D26204K-XE, DWE305PK-XE













Precision machined base and rotary table for jobsite durability

Stainless mitre detent lock delivers outstanding repeatable accuracy

Tall dual sliding fences maximising work piece stability and accuracy

\$1299



305MM SLIDING MITRE SAW

Compact portable design.

DWS780-XE (CORDED 230V)

Power Input	1675W
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 396 x 470mm
Weight	25kg

Kit Includes

- 60 Tooth Blade
- Dust Bag
- Blade Spanner
- Material clamp

x y	Ø.	\$			Á	K.
· ·	X	Y	7.		3	Y
90°, 90°	303 mm	110 mm	410 mm	33 mm	44 mm	170 mm
45° 90°	330 mm	58 mm	345 mm	44 mm	25 mm	170 mm
90° 45°	211 mm	112 mm	244 mm	76 mm		
45, 45	315 mm	50 mm				



BONUS*

LONG BEAM MITRE SAW STAND



*Bonus in store at participating retailers

FREE VIA REDEMPTION

1350W 184MM CIRCULAR SAW DWE560-XE












DHS780T2A-XE

Power Input	2 x 54V Cordless or 230V AC
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 369 x 470mm
Weight	25kg


- UP TO 161 CUTS 100 x 100mm PRESSURE TREATED PINE
- UP TO 289 CUTS 90mm BASE MOULDING

Kit Includes

- 2 x 6.0Ah 18/54V XR **FLEXVOLT Battery Packs**
- · XR Dual Port Charger
- AC Power Adaptor







DWX723-XE




FREE VIA REDEMPTION 18V XR 125MM RANDOM

ORBITAL SANDER DCW210N-XJ



*Bonus in store at participating retailers





1850W LIGHTWEIGHT TABLE SAW 210MM

DWE7485-XE

- 1850W 610M Right Rip
- Rack & Pinion Fence for Increased Accuracy

BONUS* DE7450-XJ







54V XR FLEXVOLT TABLE SAW 210MM

DCS7485N-XJ

- Cuts up to 83m 19mm plywood.**
- Up to 110m hardwood veneer laminate flooring.**
- Cuts up to 75m 16mm melamine.** ** Using Blade - DT99565-QZ

FREE VIA REDEMPTION

54V XR FLEXVOLT 6.0AH STARTER KIT DCB118T1-XE





*Bonus in store at participating retailers



Leverage the technical certification from both Europe (ETA) and USA (ICC ES)

50 YEARS

SPECIFIED USAGE

To ensure maximum performance, DEWALT® fixings undergo the most rigorous manufacturing and testing procedures. As a result, many have received some of the world's most demanding approvals including ETA and ICC ES certification.

EUROPEAN TECHNICAL ASSESSMENT (ETA)

INDEPENDENTLY AUTHORISED INSTITUTES



ETA-13/0036

Anchor products hold a European Technical Asessment (ETA) and are qualified according to stringent technical guidelines.

Products complying with European standards or approvals are marked with the CE Marking.



ANCHORS







European technical approval number


COMING SOON





DEWALT'S STRONGEST, SAFEST, MOST VERSATILE **NCHOR**







BUY ANY
DRILL DRIVER
BARE UNIT OR KIT

BONUS BOX OF ANY NAIL-INS!* IMPACT DRIVER BARE UNIT OR KIT


BONUS PACK OF ANY SCREWS!* BUY ANY CIRC SAW

BARE UNIT OR KIT

BONUS BOX OF ANY ZINC SLEEVE ANCHORS!*

*T&C's Apply. No size or type limitations, Sleeve Anchors must be zinc, screws must be "hang-style" blister pack. Availability & type of anchor bonus will differ based on purchasing store, see in store for details.





3-IN-1 STORAGE BOX SOLUTION DWST83402-1

DEWALT® revitalises its portable storage line with ToughSystem® 2.0. Durability and modularity for the jobsite and workshop because It's Rough Out ThereTM.

DEWALT®, the leading manufacturer of power tools, hand tools, accessories and storage solutions, debuts its new ToughSystem® 2.0 Storage System which offers improved durability and modularity versus previous units. Reliable storage solutions even in extreme conditions, ToughSystem® 2.0 storage products can withstand the rough treatment of the jobsite and workshop.

DWST83402-1

Water + Dust Seal	IP65
Side Latches	Auto Lock
Weight Capacity	70kg
Internal Volume	118L
Detachable Handle	Yes
Wheels	8"

INTERLOCKING STACKABLE STORAGE

TOUGHSYSTEM® 2.0





DS166 – SMALL STORAGE BOX

DWST83293-1

- Includes 2x removable organiser cups
- 50kg load capacity / 19.3L
- 554mm (L) x 371mm (W) x 165mm (H)

DS450 – MOBILE STORAGE BOX DWST83295-1

- 8" heavy duty wheels
- 70kg load capacity / 59.7L
- 554mm (L) x 500mm (W) x 685mm (H)





NEW \$349

DS300 – MEDIUM STORAGE BOX DWST83294-1

- Wider & stronger handle
- 50kg load capacity / 39L
- 554mm (L) x 371mm (W) x 300mm (H)

3-IN-1 - STORAGE BOX SOLUTION DWST83402-1

- Extendable/detachable handle
- 70kg load capacity / 118L
- 554mm (L) x 500mm (W) x 685mm (H)



DS400 – LARGE STORAGE BOX DWST83342-1

- Increased volume capacity for bigger tools
- 50kg load capacity / 55L
- 554mm (L) x 371mm (W) x 400mm (H)



4-IN-1 - TROLLEY SOLUTION DWST83401-1

- Includes heavy duty trolley
- 150kg load capacity / 113.3L
- 700mm (L) x 620mm (W) x 1110mm (H)



DEWALT



DEWALT.

RACING

For all available merch visit WWW.DEWALTRACING.COM

To find out more about the GUARANTEED TOUGH CHALLENGE WWW.GUARANTEEDTOUGHCHALLENGE.COM

DEWALT

810 Whitehorse Road Box Hill VIC, Australia 3126 Telephone: 1800 338 002 Fax: 1800 080 898

www. DEWALT.com.au

Accessories as a trademark. DEWALT reserves the right to change any deal, price and / or specification at any time without notice. All products quoted are inclusive of GST. Price includes GST unless otherwise stated.

Onsite Offers promotion runs from 01/04/2020 - 30/06/2020.

Pages available while stocks last and only at participating stores.

Your DeWALT Dealer:

REGISTER AT

Be the first to see product news and special offers from DeWALT. Register at MYDeWALT to be sent onsite offers by email. Simply go to www.DeWALT.com.au/MYDeWALT

