

DEWALT®

ONSITE

NEWS & PROMOTIONS

JULY 2019



**XR FLEX
VOLT**

www.DEWALT.com.au

GUARANTEED TOUGH.®

FREE VIA REDEMPTION

230W 1/4 SHEET SANDER

DWE6411-XE



WHEN YOU PURCHASE

A SELECTED PLANER, ROUTER OR PLUNGE SAW

**1300W 165MM HEAVY DUTY
PLUNGE SAW**

DWS520KT-XE

**1050W 4.0MM
HEAVY DUTY PLANER**

D26500K-XE

**1100W 1/4" - 1/2"
PLUNGE ROUTER**

DW621-XE

**900W 1/4" PREMIUM KIT
ROUTER / LAMINATE
TRIMMER**

D26204K-XE

VISIT

GUARANTEEDTOUGH.COM.AU
TO REDEEM TODAY

FREE VIA REDEMPTION

**18V XR BRUSHLESS 125MM
RANDOM ORBITAL SANDER**

DCW210N-XJ



WHEN YOU PURCHASE

**18V XR BRUSHLESS
2.0MM PLANER KIT**

DCP580P2-XE

FREE VIA REDEMPTION

**18V XR BRUSHLESS HAMMER
DRILL KIT 1.5AH**

DCD778S2T-XE



WHEN YOU PURCHASE

**54V XR FLEXVOLT PLUNGE
SAW KIT**

DCS520T2-XE

**VISIT
GUARANTEEDTOUGH.COM.AU
TO REDEEM TODAY**

PAUL MACPHERSON IS...

GUARANTEED TOUGH.

PAUL MACPHERSON: OFFSHORE PIPE WELDER

LOCATION: GLOBAL

Meet Paul Macpherson, for over 20 years he's been a pipe welder in the four corners of the globe. Putting up with everything mother nature can throw at him and his tools.

HARSH REALITIES

Offshore pipe welding means Paul's workplace can be the middle of the Persian Gulf at 40°C, or -20°C in the Arctic waters. It's an unforgiving environment.

A place where there is little margin for error, and no room for tools that aren't tough enough.

RELIABILITY IS KEY

The job doesn't stop, it's 24/7. So if a tool isn't up to the job, the whole project comes to a halt. It's why Paul insists on using DEWALT. A particular favourite being the 18V XR Brushless Angle Grinder. Power, efficiency and performance. With the XR Li-Ion battery, meaning less charge time and more work time.

In other words, he knows they've got what it takes to put up with everything he does.

FREEDOM OF CORDLESS

Being in the middle of nowhere, or in confined spaces, means corded tools can cause problems. But with the XR cordless range, Paul can have all the power of his corded tools with all the freedom and flexibility of cordless. A win/win situation that proves invaluable for Paul, wherever in the world he may be.



**“WHEN YOU’RE
WORKING IN THESE
CONDITIONS, YOU
NEED TOOLS YOU
CAN RELY ON.”**

- PAUL MACPHERSON

PAUL USES:



**18V XR LI-ION 1000W
BRUSHLESS 125MM GRINDER**

DCG406 (PADDLE SWITCH)

DCG405 (SLIDE SWITCH)

**PERFORM
PROTECT™**

**PERFORM PROTECT™
FEATURES:**

E-CLUTCH™

Electronic torque limiting clutch

NO VOLT

Stops the grinder restarting without the switch being cycled

SOFT START

Allows slow speed build-up

ANTI-VIBRATION SIDE HANDLE

Offers added comfort by absorbing application vibration

POWER-OFF™ OVERLOAD PROTECTION

The power supply to the motor will be reduced in case of motor overload

KICKBACK BRAKE™

When a pinch, stall, or bind-up event is sensed, the electronic brake

engages with maximum force to quickly stop the wheel

XR

TOUGHNESS WITHOUT LIMITS

(BARE)
DCM561PB-XE

\$269
RRP

18V XR BRUSHLESS LINE TRIMMER (BARE UNIT) DCM561PB-XE

- Power Output: 200W
- Runtime: 54min (DCB184)
- Cut Speed: 0-4600rpm / 0-6000rpm
- Cutting Capacity: 33cm Swathe, 2mm line
- Noise Power: 90dB(A)
- Vibration: 10.1m/s²

XR



(KIT)
DCMW564T2-XE

\$799
RRP



2 X 18V XR BRUSHLESS MOWER (KIT) DCMW564T2-XE

- Power Output: 1400W
- Runtime: 800m² (2x DCB184)
- Collection Bag: 55L
- Cut Capacity: 48cm with 51cm Metal deck
- 5 Cutting Heights: 25-86mm
- Noise Power: 92dB(A)
- Vibration: 2.5m/s²

XR



(BARE)
DCM562PB-XE

\$249
RRP

18V XR BRUSHLESS BLOWER (BARE UNIT) DCM562PB-XE

- Power Output: 270W
- Runtime: 20min (DCB184)
- Air Speed: 145km/h
- Air Volume: 400CFM
- Control: Variable speed trigger
- Noise Power: 94dB(A)
- Vibration: 1.5m/s²

XR



(BARE)
DCM565N-XE

\$329
RRP

18V XR BRUSHLESS CHAINSAW (BARE UNIT) DCM565N-XE

- Power Output: 600W
- Runtime: 70cuts at 100x100mm (DCB184)
- Chain Speed: 8m/s
- Cut Capacity: 30cm, 3/8"
- Maintenance: Tool-free with auto oiling
- Noise Power: 96.5dB(A)
- Vibration: 3.5m/s²



(BARE)	(KIT)
DCM563PB-XE	DCM563T1-XE
\$249 <small>RRP</small>	\$399 <small>RRP</small>

18V XR HEDGE TRIMMER

- Power Output: 258W
- Runtime: 80min (DCB546)
- Cut Speed: 1400spm
- Tooth Spacing: 19mm
- Cut Capacity: 55cm
- Noise Power: 91.5dB(A)
- Vibration: 2m/s²

XR FLEXVOLT



(BARE)	(KIT)
DCM572N-XE	DCM572X1-XE
\$299 <small>RRP</small>	\$499 <small>RRP</small>

54V XR FLEXVOLT BRUSHLESS BLOWER

- Power Output: 720W
- Runtime: 15min (DCB547)
- Air Speed: 207km/h
- Air Volume: 423CFM
- Control: Variable speed trigger
- Noise Power: 99.5dB(A)
- Vibration: 1.9m/s²

XR FLEXVOLT



(BARE)	(KIT)
DCM5712N-XE	DCM571X1-XE
\$429 <small>RRP</small>	\$599 <small>RRP</small>

54V XR FLEXVOLT BRUSHLESS LINE TRIMMER / BRUSHCUTTER

- Power Output: 530W
- Runtime: 46min (DCB547)
- Cut Speed: 0-5100rpm / 0-5500rpm
- Cut Capacity: 38cm Swathe, 2.0mm line
- Control: Variable speed trigger
- Noise Power: 94dB(A)
- Vibration: 10.1m/s²

XR FLEXVOLT



(BARE)	(KIT)
DCM575N-XE	DCM575X1-XE
\$509 <small>RRP</small>	\$699 <small>RRP</small>

54V XR FLEXVOLT BRUSHLESS CHAINSAW

- Power Output: 1500W
- Runtime: 130cuts at 100x100mm (DCB547)
- Chain Speed: 15m/s
- Cut Capacity: 40cm, 3/8"
- Maintenance: Tool-free with auto oiling
- Noise Power: 100.5dB(A)
- Vibration: 3.5m/s²

SCREWDRIVING ACCESSORIES

RIGHT ANGLE ATTACHMENT DWARA120

The DEWALT IMPACT READY® Right Angle Attachment provides users with best-in-class performance and accessibility for close-quarter fastening and drilling applications, due to its compact front-to-back footprint and metal-gear case design. Robust magnetism is projected through the unit to give users fastener retention, enhancing the overall user experience and functionality.

FEATURES

- Best-in-class performance and accessibility, with 38mm front-to-back design
- Robust magnetism is projected through the unit to give users fastener retention, enhancing the overall user experience and functionality
- Compact front-to-back footprint and metal-gear case design



RRP **\$54.99**

FLEXIBLE RIGHT ANGLE ATTACHMENT DT70620-QZ

With a 304mm right angle flex shaft, the DEWALT IMPACT READY® attachment enables users to reach nearly any hard-to-reach space. A Rapid Load™ head enables fast, easy bit changes, and each fastener is supported by a magnet for accurate alignment. A side handle offers additional leverage and support.

FEATURES

- Flexible angle for drilling and screwdriver bits
- Adjustable ratchets for hard-to-reach places
- Side handle for extra leverage and support
- Robust, metal angle gearbox for long service life
- Magnetic screw lock system
- Compatible with any 1/4" internal hex impact driver



RRP **\$59.99**

18 GA SHEAR ATTACHMENT DT70621-QZ

FEATURES

- Extremely powerful: easily cuts up to 1.3mm in metal
- Faster in straight and curved sections vs. conventional hand-held sheet metal shears
- 360° rotating head
- Impact resistant
- Universally applicable (also on competition products)

APPLICATIONS

- For use in sheet metal (steel, stainless steel, zinc) panel sections, precision cuts, notches, sheet metal coverings and corrugated sheet metal.



RRP **\$99.99**

COMING SOON

XR

DCN701N / D2

Magazine Capacity	35
Height	200mm
Weight	2.1kg

DRS18100

Staple Diameter	19mm Crown
Staple Size	25mm

DCN701D2-XE

\$529
RRP

DCN701N-XJ

\$379
RRP

DRS18100-XJ

\$49.95
RRP

18V **XR** ELECTRICIAN'S STAPLER

FASTENING CABLES HAS NEVER BEEN SIMPLER



COMPACT AND LIGHTWEIGHT
Significantly increases speed and productivity



DRY FIRE LOCK-OUT FUNCTION
Stops operation and warns the user to replenish the staples



PORTABILITY
Compact frame and short height allows for easy operation between joists, studs or rafters

WE'VE GOT YOU COVERED



\$249
RRP

**18V XR 3 SPEED
BRUSHLESS IMPACT DRIVER**
DCF887N-XE



\$11.99
RRP

**MAX IMPACT™ 63.5MM
PH2 POWER BIT 5 PACK**
DWA2PH2MI5



\$19
RRP

**5X25MM MUSHROOM HEAD
NYLON NAIL-IN ANOCHOR
100 PK**
DFMN525M

PURCHASE A SELECTED DEWALT 18V XR ROTARY HAMMER DRILL AND REDEEM A 900W 125MM ANGLE GRINDER

PURCHASE

A SELECTED ROTARY HAMMER BARE UNIT



DCH333NT-XJ

\$649
RRP

DCH274N-XE

\$539
RRP

DCH254N-XE

\$429
RRP

FREE VIA REDEMPTION

900W 125MM ANGLE GRINDER
DWE4151-XE



\$919
RRP



18V XR HIGH POWERED SDS+ ROTARY HAMMER 5.0AH DCH283P2-XE

- No Load Speed 0 - 980rpm
- Max. Drilling Capacity Concrete 26mm
- Hand/Arm Vibration - drilling into Concrete 8.5m/s²
- Blows Per Minute 0 - 4480bpm
- Impact Energy 2.8J

Kit Includes:

- 2 x 5AH 18V XR Batteries
- DCB115-XE MULTI-VOLTAGE CHARGER

FREE VIA REDEMPTION

18V XR BRUSHLESS 125MM PADDLE
SWITCH GRINDER
DCG406N-XJ



\$1129
RRP



54V XR FLEXVOLT SDS+ 3-MODE HAMMER DRILL KIT 9.0AH DCH333X2-XE

- No Load Speed 0 - 1000rpm
- Max. Drilling Capacity Concrete 30mm
- Hand/Arm Vibration - drilling into Concrete 7.5m/s²
- Blows Per Minute 0 - 4480bpm
- Impact Energy 3.5J

Kit Includes:

- 2 X 9AH 18V/54V XR FLEXVOLT Batteries
- XR FAST CHARGER
- T-STAK KIT BOX

FREE VIA REDEMPTION

18V XR BRUSHLESS 125MM PADDLE
SWITCH GRINDER
DCG406N-XJ




**PERFORM
PROTECT™**

WE'RE ADDRESSING THE
#1 CONCERN
FOR THE WORLD'S LARGEST
CONSTRUCTION COMPANIES:
SAFETY



DeWALT® is constantly pushing the boundaries to create the most innovative tools for the construction professional. Power tools which carry the Perform & Protect shield have passed rigorous testing to ensure they exceed the highest demands of the toughest environments, while maintaining a fundamental emphasis on safety. All of these products have to meet strict criteria in one or more of the following core areas: **Control; Vibration; Dust.**



CONTROL

**UNIQUE AND
INNOVATIVE**
TORQUE CONTROL FEATURES


When the Perform & Protect shield is awarded for control, it is guaranteed that additional innovative torque control safety features have been incorporated into the design of the tool.



VIBRATION

UP TO 20%
LOWER VIBRATION

When the Perform & Protect shield is awarded for vibration, it is guaranteed that Tri-Axial vibration levels have been reduced, increasing usage time without reducing performance.



DUST

**INDUSTRY
LEADING**
DUST CONTROL FEATURES

When the Perform & Protect shield is awarded for dust, it is guaranteed the potential of inhaling dust is dramatically reduced to give a cleaner, safer working environment while also increasing the durability of the tool.

INTRODUCING DEWALT ANCHORS

DEWALTENGINEERED BY **Powers****USER SPECIFIED** meets construction requirements**COMPLIANCE** full compliance with industry regulations**TESTED** for local conditions, with technical approvals**COMPLETE SOLUTIONS** No product designed in isolation**COMPLETE
SOLUTIONS**

IN-FOCUS BLUE-TIP SCREW BOLT

Patented dual lead thread and chamfered tip for fast installation and Immediate high strength loading

Approved for small edge distances

Grips over the total anchor length

Dust relief thread allows for low installation torque



Direct installation, reduces working time

Ratchet teeth design provides a strong hold against base

FULL RANGE AVAILABLE

CHEMICAL**MECHANICAL****LIGHT DUTY****SCREWS****PLUGS**

18V XR TOOL CONNECT AREA LIGHT

DCL074-XJ

\$399
RRP

DCL074-XJ - BARE UNIT

Beam Pattern	Area - 360°
Max. Output	5000lm
Colour Temperature	4000K
IP Rating	54
Weight	3.8kg
Runtime	Up to 10Hrs*

FREE VIA REDEMPTION

18V XR 4AH BATTERY PACK
DCB182-XE



**TOOL
CONNECT**

**GET CONNECTED.
TAKE CONTROL.**



FREE VIA REDEMPTION

18V XR 4AH BATTERY PACK
DCB182-XE



WHEN YOU PURCHASE 18V XR LED TRIPOD WORKLIGHT

DCL079-XJ

18V XR LED TRIPOD WORKLIGHT

DCL079-XJ

Compatible with all 18V XR batteries this height adjustable durable worklight is IP rated to work in the toughest conditions. Features 3 brightness settings with a neutral colour perfect for checking surface finishes.

Bulb Type	LED
Max Output	3000 lm
Colour Temperature	4000 K
IP Rating	55

DCL079-XJ

\$379
RRP



FREE VIA REDEMPTION 18V XR 2AH BATTERY PACK

DCB183-XE



WHEN YOU PURCHASE

A SELECTED CORDLESS LIGHT
DCL043-XE, DCL050-XE



\$169
RRP

LED PIVOT SPOT LIGHT

DCL043-XE

- 100-1000 Lumen output
- 400m distance
- Articulating lamp head
- Up to 10 hours runtime*



\$99
RRP

LED PIVOT TASK LIGHT

DCL050-XE

- 250-500 Lumen output
- 9 position articulating lamp head
- Broad and even beam pattern
- Up to 10 hours runtime*

*Runtime based on a 18V XR 5Ah Battery Pack.

XR FLEX VOLT

**PERFORM
PROTECT™**



DCV586MT2-XE

\$899
RRP

DCV586MN-XJ

\$549
RRP

CORDLESS DUST EXTRACTION IS HERE!

**54V XR FLEXVOLT M-CLASS
DUST EXTRACTOR**
Powered by 54V XR FLEXVOLT technology the DCV586M is the ultimate dust extraction solution for a new generation of cordless tools and the key to unlocking the cordless jobsite.

M CLASS

DUST

DWV902M-XE

\$859
RRP

1400W 38L M CLASS DUST EXTRACTOR DWV902M-XE DUST MANAGEMENT

Advanced Dust Extraction Solutions.


The Perform & Protect dust certification logo guarantees that the risks of dust inhalation are considerably reduced, to work in a cleaner and more secure environment.



DCV902M

Power Input	1400W
Max Airflow	4010L/min
Capacity	38L
Power Take Off Rating	2200W
Wet/Dry	Yes

BONUS* FLOOR CLEANING KIT DWV9350-XJ



FREE VIA REDEMPTION 18V XR L-CLASS WET/DRY VAC DCV584L-XE



1400W L-CLASS DUST EXTRACTOR DWV900L-XE

DWV900L

Power Input	1400W
Max Airflow	4080L/min
Capacity	30L
Power Take Off Rating	2200W
Wet/Dry	Yes



DWV900L-XE

\$539
RRP

18V XR 7.5L L-CLASS WET/DRY AC/DC DUST EXTRACTOR DCV584L-XE

Operates with 18V XR Li-Ion battery packs, 18/54V XR FLEX VOLT Li-Ion battery packs or Mains Supply. AIR LOCK allows direct, secure attachment to DEWALT AirLock compatible tools, Wet & Dry Pick Up, HEPA 'L' Classified Filter traps 99.97% of dust as fine as 0.3 Microns, 7.5L Tank Capacity, 2Mtr 32mm OSD Hose, Crevice Tool, Wide Nozzle.

DCV584L-XE

\$379
RRP



DCV584L

Battery Compatibility	18/54V
Max Airflow	954L/min
Capacity	7.58L
Wet/Dry	Yes

BONUS* FLOOR CLEANING KIT DWV9350-XJ



*BONUS IN-STORE PROMOTION



PURCHASE A SELECTED 125MM CORDED HIGH PERFORMANCE ANGLE GRINDER AND REDEEM AN 18V XR HAMMER DRILL KIT

**FREE VIA
REDEMPTION**
18V XR HAMMER DRILL DRIVER
DCD776C2-XE



DWE4235-XE

\$279
RRP

DWE4277-XE

\$279
RRP

DWE4213-XE

\$279
RRP



\$279
RRP

125MM CORDED ANGLE GRINDER - 1400W DWE4235-XE

Angle Grinder 125mm (5") 1400W High Performance & Efficiency Motor
11,500 RPM, Power-Off®, and Power-Loss Reset®, No Volt Release, 'One Touch' Keyless Guard, Dust Ejection System for motor durability, Abrasion protected motor, Anti-Vibration Side Handle, Cut off Brushes, Anti-Lock Flange, Slide Switch



\$279
RRP

125MM CORDED ANGLE GRINDER - 1500W DWE4277-XE

Angle Grinder 125mm (5") 1500W (Rat Tail) High Performance & Efficiency Motor
10,500 RPM, Rat Tail Rear Handle Design, Side Handle, 'Two Touch' Keyless Guard, Cut off Brushes, Anti-Lock Flange, Lock-Off Tigger Switch



\$279
RRP

125MM CORDED ANGLE GRINDER - 1200W DWE4213-XE

Angle Grinder 125mm (5") 1200W No-Lock On Paddle Switch Grinder
11,500 RPM, 2-Position Side Handle, Keyless 'One Touch' Guard, Dust Ejection System for motor durability, Abrasion protected motor, Anti-Lock Flange, Anti-Vibration Side Handle, Anti-Lock Flange, No Lock-On Paddle Switch



\$969
RRP

2200W 355MM (14") MULTI-CUTTER DW872-XE

- Large tool-free pivoting fence
- 70 tooth tungsten carbide tipped blade
- 25.4mm arbor fitment

Power Input	2200W
No Load Speed	1300rpm
Disc Diameter	355mm
Max Cutting Capacity Square Profile	100 x 100mm

FREE VIA REDEMPTION 900W 125MM ANGLE GRINDER DWE4151-XE



\$349
RRP

18V XR BRUSHLESS 1/2" MID TORQUE WRENCH
DCF894N-XJ



\$319
RRP

18V XR BRUSHLESS XRP 3 SPEED HAMMER DRILL
DCD996N-XE



\$209
RRP

18V XR BRUSHLESS 2 SPEED HAMMER DRILL
DCD796N-XE



\$379
RRP

18V XR BRUSHLESS SELF-DRILLING SCREWDRIVER
DCF622N-XJ



\$249
RRP

18V XR BRUSHLESS 3 SPEED IMPACT DRIVER
DCF887N-XE



\$429
RRP



DETENT PIN
DCF899N-XE

18V XR BRUSHLESS HIGH TORQUE IMPACT WRENCH WITH DETENT PIN
DCF899N-XE



\$429
RRP



HOG RING
DCF899HN-XE

18V XR BRUSHLESS HIGH TORQUE IMPACT WRENCH WITH HOG RING
DCF899HN-XE



\$279
RRP

18V XR BRUSHLESS HEAVY DUTY IN-LINE 3 MODE SDS+ ROTARY HAMMER
DCH133N-XJ



\$539
RRP

18V XR BRUSHLESS HEAVY DUTY 3 MODE SDS+ ROTARY HAMMER
DCH274N-XE



\$309
RRP

18V XR BRUSHLESS 125MM FLATHEAD GRINDER (SLIDE SWITCH)
DCG405FN-XJ

*All products featured on this page are bare units, batteries and chargers sold separately.



140+ PRODUCTS OUR FASTEST GROWING SYSTEM

140+
PRODUCTS
OUR
FASTEST GROWING
SYSTEM



\$309
RRP

18V XR BRUSHLESS 125MM GRINDER (SLIDE SWITCH)
DCG405N-XJ
DCG406N-XJ (PADDLE SWITCH)



\$269
RRP

18V XR DIE GRINDER 6.35MM (1/4") 1000W
DCG426N-XE



\$299
RRP

18V XR BRUSHLESS OSCILLATING MULTI-TOOL
DCS355N-XE



\$699
RRP

18V XR LI-ION BRUSHLESS 90MM FRAMING NAILER
DCN692N-XE



\$599
RRP

18V XR LI-ION BRUSHLESS 15GA DA BRADDER
DCN650N-XJ



\$599
RRP

18V XR LI-ION BRUSHLESS 18GA C1 BRAD NAILER
DCN680N-XJ



\$309
RRP

18V XR BRUSHLESS 184MM CIRCULAR SAW
DCS570N-XE



\$359
RRP

18V XR BRUSHLESS JIGSAW
DCS334N-XJ
DCS335N-XJ (BODY GRIP)



\$349
RRP

18V XR BRUSHLESS PLANER
DCP580N-XE



\$119
RRP

18V XR COMPACT JOBSITE BLOWER
DCV100-XE



\$169
RRP

18V XR HANDHELD WET & DRY VAC 1.9L
DCV517N-XJ



\$379
RRP

XR AC/DC WET & DRY VAC 7.5L (L-CLASS)
DCV584L-XE

*All products featured on this page are bare units, batteries and chargers sold separately.



\$1399
RRP

18V XR BRUSHLESS 5 PIECE KIT 5AH

DCK560P2-XE

- DCD796 2 Speed Hammer Drill Driver
 - DCF887 3 Speed Impact Driver
 - DCG405 125mm Angle Grinder Slide Switch
 - DCS367 Compact Reciprocating Saw
 - DCS570 184mm Circular Saw
- Kit Includes:**
- 2 x 5Ah 18V XR Batteries
 - DCB115-XE Multi-Voltage Charger
 - Contractor Bag

FREE VIA REDEMPTION
ROLLING DUFFLE BAG & 18V XR 2.0AH BATTERY

DCB183-XE, DWST1-79210



\$1399
RRP

18V XR BRUSHLESS 5 PIECE KIT 5AH

DCK578P2-XE

- DCD796 2 Speed Hammer Drill Driver
 - DCF887 3 Speed Impact Driver
 - DCS570 184mm Circular Saw
 - DCP580 Planer
 - DCS367 Compact Reciprocating Saw
- Kit Includes:**
- 2 x 5Ah 18V XR Batteries
 - DCB115-XE Multi-Voltage Charger
 - Contractor Bag
 - TSTAK II



\$1199
RRP

18V XR BRUSHLESS 4 PIECE KIT 5AH

DCK496P2-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
 - DCF894 1/2" Compact Mid Torque Wrench
 - DCF887 3 Speed Impact Driver
 - DCG406 125mm Grinder Paddle Switch
- Kit Includes:**
- 2 x 5Ah 18V XR Batteries
 - DCB115-XE Multi-Voltage Charger
 - Contractor Bag
 - 1/2" Square to 1/4" Hex Adaptor
 - TSTAK II

WHEN YOU PURCHASE
SELECTED 18V XR BRUSHLESS KITS

DCK560P2-XE



\$749
RRP

18V XR BL 2PC KIT 5AH

DCK2094P2-XE

- DCD996 3 Speed Hammer Drill/Driver
- DCF894 1/2" Compact Mid Torque Wrench

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- Multi Voltage Charger
- 1/2" Square to 1/4" Hex Adaptor

FREE VIA REDEMPTION

18V XR 5AH BATTERY PACK

DCB184-XE



WHEN YOU PURCHASE

A SELECTED 18V XR BRUSHLESS KIT

DCK2094P2-XE, DCK296P2T-XE



\$649
RRP

18V XRP BL 2PC KIT 5AH

DCK296P2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- XR FAST Charger
- DEEP TSTAK II



\$569
RRP

18V XRP BL KIT 5AH

DCD996P2-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- No Load Speed: 0-2000rpm (Speed 3)
- 820 UW0

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- TSTAK Kit Box

FREE VIA REDEMPTION

18V XR JOBSITE BLOWER

DCV100-XE



WHEN YOU PURCHASE

A SELECTED 18V XR BRUSHLESS KIT

DCD796P2-XE, DCD996P2-XE



\$459
RRP

18V XR BL KIT 5AH

DCD796P2-XE

- DCD796 XR 2 Speed Hammer Drill Driver
- Load Speed: 0-2000rpm (Speed 2)
- 15 Position Adjustable Torque

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- TSTAK Kit Box

18V / 54V XR BRUSHLESS KITS



\$1599
RRP

18V / 54V 5 PIECE KIT 6AH DCZ596T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- 2 x DEEP TSTAK VI
- 54V XR FLEXVOLT
- DCS575 54V XR 184mm Circ Saw
- DCG414 54V XR 125mm Angle Grinder
- DCS388 54V XR Reciprocating Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries



\$1399
RRP

18V / 54V 4 PIECE KIT 9AH DCZ441X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCF899 3 Speed High Torque Impact Wrench
- XR FAST Charger
- 2 x DEEP TSTAK VI
- 54V XR FLEXVOLT
- DCG414 54V XR 125mm Angle Grinder
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries

FREE VIA REDEMPTION

18V XR BRUSHLESS ROTARY HAMMER
DCH133N-XJ



WHEN YOU PURCHASE

A SELECTED 18V/54V XR BRUSHLESS KIT
DCZ596T2T-XE, DCZ441X2T-XE



\$1499
RRP

18V / 54V 3 PIECE KIT 9AH DCZ333X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DEEP TSTAK VI & TSTAK II
- XR FAST Charger
- 54V XR FLEXVOLT
- DCH333 54V XR 3kg SDS-PLUS Rotary Hammer
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries



\$999
RRP

18V / 54V 3PC KIT 6AH DCZ357T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- DEEP TSTAK VI & TSTAK II
- 54V XR FLEXVOLT
- DCS575 54V XR 184mm Circ Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries



\$699
RRP

18V XRP 2 PIECE KIT 6AH DCK296T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- DEEP TSTAK VI
- 54V XR FLEXVOLT
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

FREE VIA REDEMPTION

18V XR 5AH BATTERY PACK
DCB184-XE



WHEN YOU PURCHASE

A SELECTED 18V/54V XR BRUSHLESS KIT
DCZ333X2T-XE, DCZ357T2T-XE, DCK296T2T-XE



ACCURACY



PRODUCTIVITY



CAPACITY



EASE OF USE

\$1299
RRP



1675W 305MM (12") DOUBLE BEVEL SLIDE COMPOUND MITRE SAW (XPS)

DWS780-XE (MAINS POWERED 230V AC)

Power Input	1675W
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 396 x 470mm
Weight	25kg

Kit Includes

- 60 Tooth Blade
- Dust Bag
- Blade Spanner
- Material clamp

	X	Y	Z	*	X	Y
90° 90°	303 mm	110 mm	410 mm	33 mm	44 mm	170 mm
45° 90°	330 mm	58 mm	345 mm	44 mm	25 mm	170 mm
90° 45°	211 mm	112 mm	244 mm	76 mm		
45° 45°	315 mm	50 mm				



AIR LOCK - Fully compatible allowing direct connection with DeWALT dust management system

High quality slide rail assembly – for long life performance

XPS work light – excellent cutline visibility, no adjustment required

Outstanding cutting capacity of 303mm x 110mm – to meet all your application requirements

Precision machined base and rotary table for jobsite durability

Stainless mitre detent lock – delivers outstanding repeatable accuracy

Tall dual sliding fences – maximising work piece stability and accuracy

BONUS* LONG BEAM MITRE SAW STAND DWX723-XE



*Bonus in store at participating retailers

FREE VIA REDEMPTION

18V XR BRUSHLESS HAMMER DRILL KIT

DOD778S2T-XE





\$1129
RRP



1675W 254MM (10") DOUBLE BEVEL SLIDE COMPOUND MITRE SAW (XPS)



DW717-XE (MAINS POWERED 230V AC)

Power Input	1675W
Blade Speed	4000RPM
Blade Diameter	254mm
Blade Bore	16mm
Mitre Capacity	50/60°
Bevel Capacity	48/48°
Max. Depth of Cut	152mm
Width x Height x Depth	718 x 442 x 541mm
Weight	23kg

Kit Includes

- 60 Tooth Blade
- Blade Spanner
- Dust Bag
- Material clamp

	X	Y	X	Y
90° 90°	302 mm	88 mm	320 mm	76 mm
45° 90°	213 mm	88 mm	226 mm	76 mm
90° 45°	302 mm	58 mm	320 mm	50 mm
45° 45°	226 mm	50 mm	226 mm	56 mm



FREE VIA REDEMPTION
18V XR BRUSHLESS HAMMER DRILL KIT
DCD778S2T-XE



WHEN YOU PURCHASE
1675W 254MM (10") DOUBLE BEVEL SLIDE COMPOUND MITRE SAW (XPS)

DW717-XE

47 NEW CIRCULAR SAW BLADES



BLADE SIZES
160 - 305mm.

TOOTH COUNT
48 - 100T

TOOTH GEOMETRY
Triple Chip Grind & Alternate Top Bevel.

APPLICATIONS
Designed to achieve precise cutting and a high quality finish.

RECOMMENDED MATERIALS

- Wood
- Plywood
- Chipboard
- Hardwood
- MDF
- Reclaimed Wood with Nails



BLADE SIZES
165 - 305mm.


TOOTH COUNT
24 - 80T.

TOOTH GEOMETRY
Alternate Top Bevel.

APPLICATIONS
Optimised for cordless circular saws and stationary saws for first and second fix applications.

RECOMMENDED MATERIALS

- Aluminium
- Wood
- Laminate
- Plastic
- Reclaimed Wood with Nails



BLADE SIZES
165 - 235mm.

TOOTH COUNT
24 - 60T.

TOOTH GEOMETRY
Alternate Top Bevel.

APPLICATIONS
For decorative wooden sections where cut finish is the highest priority.

RECOMMENDED MATERIALS

- Aluminium
- Wood
- Laminate
- Plastic
- Reclaimed Wood with Nails



BLADE SIZES
165 - 305mm.

TOOTH COUNT
24 - 80T.

TOOTH GEOMETRY
Alternate Top Bevel.

APPLICATIONS
For rough cutting and first fix applications where durability is more important than cut or finish.

RECOMMENDED MATERIALS

- Wood
- MDF
- Chipboard
- Plywood
- Hardwood
- Reclaimed Wood with Nails



BLADE SIZES
165 - 355mm.

TOOTH COUNT
36 - 90T.

TOOTH GEOMETRY
Triple Chip Grind & Flat Top Bevel

APPLICATIONS
For cutting aluminium, steel and stainless steel.

RECOMMENDED MATERIALS

- Metal
- Aluminium
- Copper



BLADE SIZES
184mm.

TOOTH COUNT
4T.

TOOTH GEOMETRY
Flat Top Bevel

APPLICATIONS
For cutting multi materials including fibre cement.

RECOMMENDED MATERIALS

- Laminate
- Melamine
- Softwood
- Hardwoods
- MDF
- Plywood
- Chipboard

**MATERIAL
SPECIFIC
BLADES**

**LATEST
TOOTH TECH
GEOMETRY**

**NEW
BLADE
SIZES**

GUARANTEED TOUGH MACHINERY

**254MM (10")
HEAVY DUTY
TABLE SAW 2000W
DWE7491-XE**

\$1249
RRP

DWE7491-XE

Rip Capacity	825mm
Max. D.O.C.	79mm @ 90°
Weight	26.6kg

Includes:

- 24 tooth saw blade
- Mitre attachment
- 2 blade spanners & push stick
- Rack & Pinion Fence for Increased Accuracy & ease of use

**FREE VIA
REDEMPTION**
**1350W 184MM
CIRCULAR SAW**
DWE560-XE



BONUS*
**TABLE SAW
SCISSOR STAND**
DWE74912-XJ



\$949
RRP

**1750W LIGHTWEIGHT TABLE SAW
254MM**

DW745-XE

- 1850W 610M Right Rip
- Rack & Pinion Fence for Increased Accuracy

BONUS*
HEAVY DUTY STAND
DE7450-XE



**XR FLEX
VOLT**

\$999
RRP

**54V XR FLEXVOLT TABLE SAW
210MM**

DCS7485N-XJ

- Cuts up to 83m 19mm plywood.**
- Up to 110m hardwood veneer laminate flooring.**
- Cuts up to 75m 16mm melamine.**

** Using Blade - DT99565-QZ


FREE VIA REDEMPTION

**54V XR FLEXVOLT
6.0AH STARTER KIT**
DCB118T1-XE



*Bonus in store at participating retailers

FAST PRECISION LEVELLING



\$599
RRP

10.8V 3 X 360° CROSS LINE LASER

DCE089LR-XJ

Type	Line 3x 360°
Levelling Type	Self
Laser Class	2
Accuracy (line)	+/-0.3mm/m
Working Range (Rad)	15m
Working Range (Diag)	30m
Range with Detector	100m
Mount Thread	1/4 or 5/8
Batteries	4xAA
IP Rating	IP65

FREE VIA REDEMPTION RED CROSS LINE DETECTOR

DE0892-XJ



GREEN BEAM
4X VISIBILITY



\$615
RRP



10.8V CROSS LINE LASER WITH PLUMB

DCE0822D1G-XE

Type	Cross with plumb
Levelling Type	Self
Laser Class	2
Accuracy (dot)	0.2mm/m
Accuracy (line)	0.3mm/m
Compensation Range	± 4°
Levelling Time	≤ 3s
Working Range	15m (Line)/30m (Dot)
Screw Thread for Adapter	1/4"
Working Range with Detector	50m
Batteries (Alkaline unless otherwise noted of)	10.8v (Included)
Battery Life (all lasers on)	10 hours
Operating Temperature	-10°C > 50°C
IP Rating	IP65

FREE VIA REDEMPTION GREEN CROSS LINE DETECTOR

DE0892G-XJ



WHEN YOU PURCHASE CROSS LINE LASER WITH PLUMB

DCE0822D1G-XE

ABRASIVE MESH

UNIVERSAL. LONGER LIFE.
BETTER FINISH.

EXTREME®

EXTREME Universal Abrasive Mesh features an open nylon weave with a silicon carbide composite grain coating. This reduces the flexibility, but increases the service life up to 4x compared to DEWALT standard abrasives.


Due to the large number of small openings in the grid lines, the suction capacity is significantly increased as the dust is transported over a significantly larger surface. After intensive use, the dust can be simply tapped, blown or even washed out.

4x **LONG LIFE**

*vs. Standard DEWALT Sanding Sheets



HOOK AND LOOP



**UNIVERSAL
ABRASIVE MESH**



DEWALT®

THE ULTIMATE TRADIE UTE TO

WORK PLAY HARD HARDER.

VALUED AT
\$179,000



PURCHASE ANY DEWALT
PRODUCT FOR A CHANCE TO

WIN A RAM TOUGH UTE

ONE ENTRY FOR EVERY \$1 SPENT
ENTER VIA WWW.GUARANTEEDTOUGH.COM.AU

*Conditions apply. For full terms and conditions visit www.guaranteedtough.com.au.
Promotion valid from 1/07/2019 until 31/12/2019. Retain original receipt/s. Prize is a modified RAM 1500.

DEWALT
810 Whitehorse Road
Box Hill VIC, Australia 3128
Telephone: 1800 338 002
Fax: 1800 080 898

WWW.DEWALT.com.au

Accessories as a trademark. DEWALT reserves the right to change any deal, price and / or specification at any time without notice. All products quoted are inclusive of GST. Price includes GST unless otherwise stated. Onsite Offers promotion runs from 01/07/2019 - 30/09/2019. Deals available while stocks last and only at participating stores.

Your DEWALT Dealer:

REGISTER AT

Be the first to see product news and special offers from DEWALT.
Register at MYDEWALT to be sent onsite offers by email.
Simply go to WWW.DEWALT.com.au/MYDEWALT

MY DEWALT®