DEMALE



www.DEWALT.com.au

GUARANTEED TOUGH:



CORDLESS CONCRETE NAILER



XR BATTERY CORDLESS

BRUSHLESS - quick startup and extreme runtime.

Batteries fully compatible with other XR tools.

RELIABILITY - require less cleaning and servicing and have no issues operating at low temperatures.

SAFETY - no need for explosive gas canisters on site.

APPLICATIONS

- Drywall steel track installation to concrete, block and steel.
- Drywall tracks with deflection heads
- Wire Mesh fixing with 25mm lathing washers
- Fixing clips and clamps for electricians and plumbers
- Ceiling clips into concrete





18V XR LI-ION CORDLESS CONCRETE NAILER WITH RAPID CYCLE FOR FAST, CONTINUOUS NAILING

A powerful cordless concrete nailer with the ability to drive 13mm nails into steel as well as up to 35mm into concrete

Kit Includes: DCN890 concrete nailer, two 5.0Ah XR Li-lon batteries and charger, DCN8903 and DCN8904 nose pieces.

DCN890P2-XE	18V XR Concrete Nailer Kit (2x5.0Ah)
DCN890N-XJ	18V XR Concrete Nailer (Bare)
DCN8901-XJ	Driver Blade Replacement Kit
Battery chemistry	XR Li-lon
Voltage	18 V
Battery capacity	5.0 Ah
Weight	4.2 kg
Trigger Type	Sequential Rapid Cycle
Magazine Capacity	30
Fastener Type	15° Plastic Collated Nails
Fastener Range	13-57mm

CORDLESS CONCRETE NAILER ATTACHMENTS





CONCRETE NAILER DCN890 EXTENSION POLE DCN8905-XJ

Specially designed for the DCN890, this extension pole allows users to fasten into ceilings and other hard to reach areas.





MAGNETIC NOSE PIECE

For installation of Powers metal clips, washers and accessories.

DCN8902-XJ



NON-MAGNETIC NOSE PIECE

For installation of Powers clips, washers and accessories.

DCN8903-XJ



DRYWALL NOSE PIECE

For installation of drywall tracking into concrete.

DCN8904-XJ



CORDLESS CONCRETE NAILER PINS

The DCN890 nail range includes lengths measuring 15-35mm in length and 2.6-3.0mm in diameter.

User-friendly colour coding clearly defines the nails as yellow for general purpose use, or red for extra hard concrete.





Standard Nails

XH Extra Hard Nails

DCN890 - 15° PLASTIC COLLATED

	SKU CODE	ТҮРЕ	LENGTH	DIAMETER	HEAD DIAMETER	QTY / BOX
0	DCN8901015	STANDARD	15	2.6	6.3	1000
0	DCN8901020	STANDARD	20	2.6	6.3	1000
	DCN8901025	STANDARD	25	2.6	6.3	1000
	DCN8901030	STANDARD	30	2.6	6.3	1000
	DCN8901035	STANDARD	35	2.6	6.3	1000
	DCN8903013	ХН	13	3	6.3	1000
	DCN8903017	ХН	17	3	6.3	1000
	DCN8903022	ХН	22	3	6.3	1000



CORDLESS CONCRETE NAILER ACCESSORIES



This range of clips, washers and ties has been specifically designed for a wide variety of on-site applications including the fixing of cable, conduit, lathing, steel brackets and wooden battens.

	SKU CODE	DESCRIPTION	DIAMETER [MM]	QTY	MAGNETIC NOSE PIECE DCN8902-XJ	NON-MAGNETIC NOSE PIECE DCN8903-XJ
	DDF6720050KIT	Cable Tie Mount Kit - 1000x mounts/1000x pins	mm nm	1		
	DDF6720050	Trak-It® Apolo Deluxe Cable Tie Mount - C5		200		•
**	DDF6750100	Stick-E® Strap Washer	14	100	•	
	DDF6750000	Stick-E® Lathing Washer	25	100	•	
	DDF6770000	Trak-It® Stick-E® Ceiling Clip		100		
	DDF4420025	Apolo Conduit Saddle - Metal	25	100	0	
	DDF4400016	Apolo Conduit Saddle - PVC	16	100		
	DDF4400020	Apolo Conduit Saddle - PVC	20	100	400 400 400 400 400 400 400 400	<u> </u>
	DDF4400025	Apolo Conduit Saddle - PVC	25	100		
	DDF6755402	Apolo Pipe Clamp - Self Locking	14-18	100	20 20 20 20 E	
	DDF6755404	Apolo Pipe Clamp - Self Locking	20-25	50	3 3 3 3	
	DDF6755406	Apolo Pipe Clamp - Self Locking	26-32	50	## ## ## ##	
	DDF5260010	Stick-E® Double Shot Rod Hanger	M10	250	•	

CORDLESS CONCRETE NAILER WITH RAPID CYCLE FOR FAST, CONTINUOUS NAILING



- Replace driver blade <2 minutes
- Field-serviceable by user

Returns driver if tool is stalled or iammed

REMOVABLE NOSE PIECE
• Interchangeable for versatility (MEPD)

*With 5.0Ah battery pack, driving 20x2.6mm fasteners into concrete.

• Allows tool-free maintenance

Comparable speed to gas nailer Compact design E 312.1 T

- Runs on 18V XR battery
- Up to 600 shots per charge*

SINGLE / RAPID MODE

- 3 settings for pin depth
- Application versatility

- Angled for access in
- tight areas

 Removable for tool-free
- High capacity (33 pins)

- DUAL LEDS
 Illuminate work surface
- Provide diagnostics

THE BENEFITS OF **GAS-FREE NAILING**



BENEFIT

SERVICE

STORAGE / TRANSPORTATION

PERFORMANCE

LUBRICATION

ENVIRONMENT

HANDLING

GAS

High Service Rates

Limited Shelf Life, Storage / Transportation restrictions of fuel cells

Less consistent in extreme temperatures and altitudes

Required

Easy to accidentally disperse gas

Higher Noise / Recoil Levels



RATTERY

Low Service Rates / Easy Maintenance

Min. Storage / Transportation Restrictions

More consistent in extreme temperatures and <u>altitudes</u>

N/A

N/A

Lower Noise / Recoil Levels

LOW / EASY MAINTENANCE

- Stall release lever
- Tool-Free access areas
- Field-serviceable driver blade
- No lubrication needed

Fix in the field, NOT the service center

Less Downtime - Increased Productivity

TOOL-FREE STALL RELEASE



REMOVABLE MAGAZINE



REMOVABLE CONTACT TRIP



REPLACE DRIVER BLADE **IN UNDER 2 MINUTES**

